

Navilock GNSS GALILEO GPS QZSS Marine Antenna 1575 MHz BNC male 28 dBi directional with connection cable RG-58 U 5 m outdoor white

Description

This antenna by Navilock allows the usage of the 1575 MHz GPS band indoors and outdoors. The material is particularly weather resistant.



Item no. 12578

EAN: 4043619125784 Country of origin: China Package: White Box

Specification

Connector: 1 x BNC maleFrequency range: 1575 MHz

Antenna gain: 28 dBiImpedance: 50 Ohm

• VSWR: 1.5

Polarisation: RHCP

• Operating temperature: -40 °C ~ 80 °C

· Housing material: ABS

Colour: whiteCable: coaxial

• Cable type: RG-58 U

· Cable attenuation:

0.57 dB @ 1.0 GHz per meter 1.20 dB @ 3.0 GHz per meter

• Cable diameter: ca. 4.95 mm

• Cable length incl. connector: ca. 5.0 m

• Weight: ca. 0.5 kg



• Dimensions (LxD): ca. 127.0 x 96.0 mm

• Inner thread: 1 "-14 UNS

System requirements

• Device with one free BNC port

Package content

• Antenna

Images





General

Suitable for outdoor: yes

Interface

connector: 1 x BNC male

Technical characteristics

Frequency range:	1575 MHz
Antenna gain:	28 dBi
Impedance:	50 Ω
Operating temperature:	-40 °C ~ 80 °C
Polarisation:	RHCP
VSWR:	1.5

Physical characteristics

Housing colour:	white
Housing material:	ABS
Weight:	0.5 kg
Cable category:	coaxial
Cable type:	RG-58 U
Cable attenuation:	0.57 dB @ 1.0 GHz per meter 1.20 dB @ 3.0 GHz per meter
Cable colour:	black
Cable length incl. connector:	5 m
Diameter:	96 mm
Length:	127 mm