

# Navilock Power Bank 10200 mAh 1 x USB Type-A female, 1 x USB Type-C<sup>™</sup> female

#### Description

This external battery by Navilock can be used for all common devices with USB power supply. The power bank has one USB Type-A port and one USB-C<sup>TM</sup> port to charge two devices at the same time. The USB-C<sup>TM</sup> port has two functions, one is to charge the power bank as well as charge connected devices.

# USB Type-C<sup>™</sup>



#### Item no. 41502

EAN: 4043619415021 Country of origin: China Package: Retail Box

### Specification

- Connector:
  1 x USB Type-A female
  - 1 x USB Type-C<sup>™</sup> female
- Capacity: 10200 mAh
- Output: USB Type-A: 5 V / 2.4 A USB Type-C<sup>™</sup>: 5 V / 3 A
- Input: 5 V / 2.0 A
- On / Off switch
- LED indicator for battery status
- LG battery, lithium-ionen
- Overcharge and over-discharge protection
- Input overvoltage protection and output overvoltage protection
- Short circuit protection
- Automatic power-off
- Operating temperature: 0 °C ~ 45 °C
- Storage temperature: 0 °C ~ 60 °C
- Operating humidity: < 75 %
- Storage humidity: < 45 %

#### **DATASHEET**



- Weight of the power bank: ca. 210 g
- Colour: black / white
- Dimensions (LxWxH): ca. 138 x 62 x 22 mm

#### System requirements

• USB device

#### Package content

- Power bank
- Cable USB Typ-A male to USB-C<sup>™</sup> male, length ca. 15 cm
- Bag
- User manual

#### Images





#### General

LED indicator:	battery status
Protection:	Overcharge protection Over-discharge protection Output overvoltage protection Input overvoltage protection Short circuit protection Overheating protection Automatic power-off

#### Interface

Output:	1 x USB Type-A female 5 V / 2.4 A 1 x USB Type-C™ female 5 V / 3 A
Input:	1 x USB Type-C™ female 5 V / 2.0 A

## **Technical characteristics**

Storage temperature:	0 °C ~ 60 °C
Operating temperature:	0 °C ~ 45 °C
Capacity:	10200 mAh

## **Physical characteristics**

Weight:	210 g
Length:	138 mm
Width:	22 mm
Height:	62 mm
Colour:	black / white