

Navilock Car charger 1 x USB Type-C™ + 1 x USB Type-A

Description

This Navilock USB car charger can be used to charge two USB devices. One port is equipped with a USB Type-CTM connector, thereby supported devices can be charged with up to 3 A. The second port with a USB Type-A connector provides up to 1 A with intelligent charging technology for conventional devices.



Item no. 63069

EAN: 4043619630691 Country of origin: China Package: Retail Box

Specification

Connectors:

1 x USB Type-C[™] female 1 x USB Type-A female

• Input: DC 12 ~ 24 V

• Output:

USB Type-CTM female: 5 V / 3.0 A, 9 V / 3.0 A, 12 V / 2.25 A

USB Type-A female: 5 V / 1.0 A

· Over load protection

- Over current protection
- · Overheating protection
- Short circuit protection
- LED indicator

• Operating temperature: 0 °C ~ 40 °C

• Storage temperature: -20 °C ~ 85 °C

· Colour: black

• Dimensions (LxD): ca. 68.3 x 30.0 mm





Package content

• Car charger

Images







Technical characteristics

Storage temperature:	-20 °C ~ 85 °C
Operating temperature:	0 °C ~ 40 °C

Physical characteristics

Housing colour:	black
Diameter:	30.0 mm
Length:	68.3 mm

Power supply

Туре:	Car charger
Input:	DC 12 - 24 V
Output:	5.0 V / 3.0 A 5 V / 1 A 9.0 V / 3.0 A 12 V / 2.25 A
Connector:	1 x USB Type-A female 1 x USB Type-C TM female