

# Delock 4 Port USB 10 Gbps Hub with USB Type-C™ connector 60 cm Cable and Switch for each port

## Description

This solid USB hub by Delock with metal housing can be connected to a computer, laptop or mobile device via the **USB-C™** interface. It expands the computer by **4 USB Type-A ports**. Different USB devices such as USB flash memory, card reader, external enclosure etc. can be connected. Each port can be turned on or off individually by using the switches.



## Supports USB 10 Gbps

A maximum data transfer rate of up to **10 Gbps** can be reached.

**Item no. 64233**

EAN: 4043619642335

Country of origin: China

Package: Retail Box

## Small sturdy helper

Due to its **small dimensions and its sturdy housing**, this Delock Hub is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.

## Technical details

- Connectors:
  - 1 x USB 10 Gbps USB Type-C™ male
  - 4 x USB 10 Gbps Type-A female
  - 1 x 5 V DC jack
- Chipset: VIA VL822
- Data transfer rate up to 10 Gbps
- 4 x LED indicator
- 4 x switch
- Robust metal housing
- Dimensions (LxWxH): ca. 98 x 39 x 22 mm
- Cable length: ca. 60 cm
- Colour: black
- Plug & Play

## Power supply specification

- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.5 A
  - Output: 5.0 V / 2.0 A
  - Ground outside, plus inside
  - Dimensions:
    - inside:  $\varnothing$  ca. 1.35 mm
    - outside:  $\varnothing$  ca. 3.5 mm
    - Length: ca. 7 mm
- 

## System requirements

- Android 11.0 or above
  - Chrome OS
  - Linux Kernel 5.15 or above
  - Mac OS 12.4 or above
  - Windows 8.1/8.1-64/10/10-64/11
  - iPad Air (4th Generation) or above
  - iPad Pro (3rd Generation) or above
  - Surface Pro 7
  - Device with a free USB Type-C™ port or with a free Thunderbolt™ 3 port or
  - Device with a free USB4™ port or with a free Thunderbolt™ 4 port
- 

## Package content

- Hub USB 10 Gbps
- External power supply
- User manual

## Images



## General

Function:	Plug & Play
Supported operating system:	Chrome OS Surface Pro 7 Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Pro (3rd Generation) or above iPad Air (4th Generation) or above Windows 11 Mac OS 12.4 oder höher Android 11.0 or above Linux Kernel 5.15 or above
LED indicator:	4 x

## Interface

Connector 1:	1 x USB 10 Gbps USB Type-C™ male
Connector 2:	4 x USB 10 Gbps Type-A female
connector 3:	1 x DC jack

## Technical characteristics

Chipset:	VIA VL822
Data transfer rate:	10 Gbps

## Physical characteristics

Material:	metal
Length:	98 mm
Width:	39 mm
Height:	22 mm
Colour:	black